

No 2018 - B01641 - 01
Oct.17, 2018

CERTIFICATE OF TEST RESULTS

To: Okinawa Kangen Foods Co., Ltd
310 Sedake Nago-Shi Okinawa, 905-2266, Japan

Registered Testing Institution

(Food Hygiene Law, Ministry of Health,
Labour and Welfare Affairs
720, Kyozyuka, Urasoe-city, Okinawa
Incorporated Foundation
Okinawa Pref. Environment Science Center)

This is to certify that the sample listed below was duly examined by our laboratory
and the results are as follows

Test Result

Name of Goods	: Powder Spring of UKON
Date of Receipt	: Oct 1,2018
Factory	: Okinawa Kangen Foods Co., Ltd
Address	: 310 Sedake Nago-Shi Okinawa, 905-2266, Japan
Mfg.Date	: Jun. 18, 2018
Date of Receipt	: Jun. 12, 2021
<p>1. Testing Method (Notice No. 0124001, from the Department of Food Safety, dated on January 24, 2005) [Analytical Methods for Residual Compositional Substances of Agricultural Chemicals, Feed Additives, and Veterinary Drugs in Food]</p> <p>2. Testing Product, Testing Items and Analysis Result</p> <p>(1) Testing Product Powder Spring of UKON</p> <p>(2) Testing Items and Analysis Result ATTACHMENT</p>	

No 2018 - B01641 - 01 Appended table 1

Testing Items		Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
1	1,1-DICHLORO-2,2-BIS(4-ETHYLPHENYL)ETHANE	ppm	※	—	0.01
2	2,3,5-TRIMETHYLACARB	ppm	N.D.	—	0.01
3	3,4,5-TRIMETHYLACARB	ppm	N.D.	—	0.01
4	4,4-DIBROMOBENZOPHENONE	ppm	N.D.	—	0.01
5	BHC	ppm	※	—	0.01
6	DDT	ppm	N.D.	—	0.01
7	EPN	ppm	N.D.	—	0.01
8	EPTC	ppm	N.D.	—	0.01
9	Swop	ppm	※	—	0.01
10	XMC	ppm	N.D.	—	0.01
11	ACRINATHRIN	ppm	N.D.	—	0.01
12	AZACONAZOLE	ppm	N.D.	—	0.01
13	AZINPHOS-ETHYL	ppm	N.D.	—	0.01
14	AZINPHOS-METHYL	ppm	N.D.	—	0.01
15	ACETOCHLOR	ppm	N.D.	—	0.01
16	ACEPHATE	ppm	※	—	0.01
17	AZOXYSTROBIN	ppm	N.D.	—	0.01
18	ATRAZINE	ppm	※	—	0.01
19	ATRATON	ppm	N.D.	—	0.01
20	ANILOFOS	ppm	N.D.	—	0.01
21	AMETRYN	ppm	N.D.	—	0.01
22	ALACHLOR	ppm	※	—	0.01
23	ALLDOCHLOR	ppm	N.D.	—	0.01
24	ALDRIN AND DIELDRIN	ppm	※	—	0.005
25	ISAZOPHOS	ppm	N.D.	—	0.01
26	ISOCARBOPHOS	ppm	※	—	0.01
27	ISOXATHION	ppm	N.D.	—	0.01
28	ISOFPENPHOS	ppm	※	—	0.01
29	ISOFPENPHOS-METHYL	ppm	N.D.	—	0.01
30	ISOPROCARB	ppm	N.D.	—	0.01
31	ISOPROTHIOLANE	ppm	N.D.	—	0.01
32	ISOMETHIOZIN	ppm	N.D.	—	0.01
33	IPCONAZOLE	ppm	N.D.	—	0.01
34	IPIODIONE	ppm	N.D.	—	0.01
35	IPIROBENFOS	ppm	N.D.	—	0.01
36	IMAZAMETHABENZ METHYL ESTER	ppm	N.D.	—	0.01
37	INDOXACARB	ppm	N.D.	—	0.01
38	UNICONAZOLE F	ppm	N.D.	—	0.01
39	ESPROCARB	ppm	※	—	0.01
40	ETHALFLURALIN	ppm	N.D.	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 2

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
41 ETHIODIN	ppm	※	—	0.01
42 ETHIOFENCARB	ppm	N.D.	—	0.01
43 ETHION	ppm	N.D.	—	0.01
44 EDIFENPHOS	ppm	N.D.	—	0.01
45 ETOKAZOLE	ppm	N.D.	—	0.01
46 ETOFENPROX	ppm	N.D.	—	0.01
47 ETHOFUMESATE	ppm	N.D.	—	0.01
48 ETHOPROPHOS	ppm	N.D.	—	0.005
49 ETRIDIAZOLE	ppm	N.D.	—	0.01
50 ETRIMFOS	ppm	N.D.	—	0.01
51 ENDOSULFAN	ppm	N.D.	—	0.01
52 ENDRIN	ppm	N.D.	—	0.005
53 OXADIAZON	ppm	N.D.	—	0.01
54 OXADIARGYL	ppm	N.D.	—	0.01
55 OXADIXYL	ppm	N.D.	—	0.01
56 OXABETRINIL	ppm	※	—	0.01
57 OXYFLUORFEN	ppm	※	—	0.01
58 OFURACE	ppm	N.D.	—	0.01
59 OMETHOATE	ppm	※	—	0.01
60 ORYSASTROBIN	ppm	N.D.	—	0.01
61 2-PHENYLPHENOL	ppm	N.D.	—	0.01
62 CADUSAFOS	ppm	N.D.	—	0.01
63 CAFENSTROLE	ppm	N.D.	—	0.01
64 CARBARYL	ppm	※	—	0.01
65 CARBENTRAZONE-ETHYL	ppm	N.D.	—	0.01
66 QUINALPHOS	ppm	N.D.	—	0.01
67 QUINOXYFEN	ppm	N.D.	—	0.01
68 QUINOCAMINE	ppm	※	—	0.01
69 QUINTOZENE	ppm	N.D.	—	0.01
70 COUMAFOS	ppm	N.D.	—	0.01
71 CRIMIDIN	ppm	N.D.	—	0.01
72 KBESOXIM-METHYL	ppm	N.D.	—	0.01
73 CLOQUINTOCET-MEXYL	ppm	N.D.	—	0.01
74 CLODINAFOP PROPARGYL	ppm	N.D.	—	0.01
75 CLOMAZONE	ppm	N.D.	—	0.01
76 CLOMEPROP	ppm	N.D.	—	0.01
77 CHLORTHAL-DIMETHYL	ppm	N.D.	—	0.01
78 CHLORTHIOPHOS	ppm	N.D.	—	0.01
79 CHLORDANE	ppm	N.D.	—	0.01
80 CNP	ppm	N.D.	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 3

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
81 CHLORPYRIFOS	ppm	N.D.	—	0.01
82 CHLORPYRIFOS-METHYL	ppm	※	—	0.01
83 CHLORFENAPYR	ppm	N.D.	—	0.01
84 CHLORFENSON	ppm	N.D.	—	0.01
85 CHLORFENVINPHOS	ppm	N.D.	—	0.01
86 CHLORBUFAM	ppm	※	—	0.01
87 CHLORFLORENOL METHYL	ppm	※	—	0.01
88 CHLORPROPHAM	ppm	※	—	0.01
89 CHLORBENSIDE	ppm	N.D.	—	0.01
90 CHLORONEB	ppm	N.D.	—	0.01
91 CHLOROBENZILATE	ppm	N.D.	—	0.01
92 SALITHION	ppm	※	—	0.01
93 CYANAZINE	ppm	N.D.	—	0.01
94 CYP	ppm	N.D.	—	0.01
95 CYANOPHOS	ppm	N.D.	—	0.01
96 DIETHOFENCARB	ppm	N.D.	—	0.01
97 DIOXATHION	ppm	N.D.	—	0.01
98 DICLOCYMET	ppm	N.D.	—	0.01
99 DICROTOPHOS	ppm	N.D.	—	0.01
100 DICHLORFENTHION	ppm	※	—	0.01
101 DICLOBUTRAZOL	ppm	※	—	0.01
102 DICHLOBENIL	ppm	N.D.	—	0.01
103 DICHLORVOSNALED	ppm	N.D.	—	0.01
104 DICOFOL	ppm	※	—	0.01
105 DISULFOTON	ppm	N.D.	—	0.01
106 DITHIOPYR	ppm	N.D.	—	0.01
107 DINICONAZOLE	ppm	N.D.	—	0.01
108 DINTRAMINE	ppm	N.D.	—	0.01
109 CYHALOTHRIN	ppm	N.D.	—	0.01
110 CYHALOPOP-BUTYL	ppm	N.D.	—	0.01
111 DIPHENAMID	ppm	※	—	0.01
112 DIFENOCONAZOLE	ppm	N.D.	—	0.01
113 CYFLUTHRIN	ppm	N.D.	—	0.01
114 CYFLUFENAMID	ppm	N.D.	—	0.01
115 DIFLUFENICAN	ppm	N.D.	—	0.002
116 CYPROCONAZOLE	ppm	※	—	0.01
117 CYPRODINIL	ppm	N.D.	—	0.01
118 CYPROFURAM	ppm	※	—	0.01
119 CYPERMETHRIN	ppm	N.D.	—	0.01
120 SIMAZINE	ppm	N.D.	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 4

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
121 SIMECONAZOLE	ppm	N.D.	—	0.01
122 DIMETHACHLOR	ppm	N.D.	—	0.01
123 DIMETHAMETRYN	ppm	N.D.	—	0.01
124 DIMETHIPIN	ppm	※	—	0.01
125 DIMETHYLYNPHOS	ppm	N.D.	—	0.01
126 DIMETHENAMID	ppm	N.D.	—	0.01
127 DIMETHOATE	ppm	N.D.	—	0.01
128 DIMETHOMORPH	ppm	N.D.	—	0.01
129 SIMETRYN	ppm	N.D.	—	0.01
130 DIMOXYSTROBIN	ppm	N.D.	—	0.01
131 SILAFLUOFEN	ppm	N.D.	—	0.01
132 CINNETHYLIN	ppm	※	—	0.01
133 SPIRODICLOFEN	ppm	N.D.	—	0.01
134 SULFALLATE	ppm	N.D.	—	0.01
135 SULPROFOS	ppm	N.D.	—	0.01
136 SULFOTEP	ppm	N.D.	—	0.01
137 ZOXAMIDE	ppm	N.D.	—	0.01
138 DIAZINON	ppm	N.D.	—	0.01
139 THIAZOPYR	ppm	N.D.	—	0.01
140 THIOBENCARB	ppm	N.D.	—	0.01
141 THOMETON	ppm	※	—	0.01
142 THIFLUZAMIDE	ppm	N.D.	—	0.01
143 TECNAZENE	ppm	N.D.	—	0.01
144 TETRACONAZOLE	ppm	N.D.	—	0.01
145 TETRADIFON	ppm	N.D.	—	0.01
146 TETRASUL	ppm	N.D.	—	0.01
147 THIENYLCHLOR	ppm	N.D.	—	0.01
148 TEBUCONAZOLE	ppm	N.D.	—	0.01
149 TEBUTAM	ppm	※	—	0.01
150 TEBUTHIURON	ppm	N.D.	—	0.01
151 TEBUFENPYRAD	ppm	N.D.	—	0.01
152 TEFLUTHRIN	ppm	※	—	0.01
153 DEMETON-S-METHYL	ppm	N.D.	—	0.01
154 DELTAMETHRIN/TRALOMETHRIN	ppm	N.D.	—	0.01
155 TERBUTHYLAZINE	ppm	N.D.	—	0.01
156 TERBUTOS	ppm	N.D.	—	0.005
157 TRIADIMENOL	ppm	※	—	0.01
158 TRIADIMEFON	ppm	※	—	0.01
159 TRIAZOPHOS	ppm	N.D.	—	0.01
160 TRIBUPHOS	ppm	N.D.	—	0.01

N.D. : Not Detected.

+ : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 5

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
161 TRIFLUMIZOLE	ppm	※	—	0.01
162 TRIFLUMURON	ppm	N.D.	—	0.01
163 TRIFLURALIN	ppm	N.D.	—	0.01
164 TRIFLOXYSTROBIN	ppm	N.D.	—	0.01
165 TOLCLOFOS-METHYL	ppm	※	—	0.01
166 TOLFENPYRAD	ppm	N.D.	—	0.01
167 NAPROPAMIDE	ppm	N.D.	—	0.01
168 NITROTHAL-ISOPROPYL	ppm	※	—	0.01
169 NUARIMOL	ppm	※	—	0.01
170 NORFLURAZON	ppm	N.D.	—	0.01
171 PACLOBUTRAZOL	ppm	N.D.	—	0.01
172 PARATHION	ppm	※	—	0.01
173 PARATHION-METHYL	ppm	※	—	0.01
174 HALFENPROX	ppm	N.D.	—	0.01
175 BIORESMETHRIN	ppm	N.D.	—	0.01
176 PICOXYSTROBIN	ppm	N.D.	—	0.01
177 PICOLINAFEN	ppm	N.D.	—	0.01
178 BITERTANOL	ppm	N.D.	—	0.01
179 BIFENOX	ppm	N.D.	—	0.01
180 BIFENTHRIN	ppm	N.D.	—	0.01
181 PIPERONYL BUTOXIDE	ppm	N.D.	—	0.01
182 PIPEROPHOS	ppm	N.D.	—	0.01
183 PYRACLOFOS	ppm	N.D.	—	0.01
184 PYRAZOPHOS	ppm	N.D.	—	0.01
185 PYRAFLUFEN ETHYL	ppm	N.D.	—	0.01
186 PYRIDAFENTHION	ppm	N.D.	—	0.01
187 PYRIDABEN	ppm	N.D.	—	0.01
188 PYRIFENOX	ppm	N.D.	—	0.01
189 PYRIBUTICARB	ppm	N.D.	—	0.01
190 PYRIPROXYFEN	ppm	N.D.	—	0.01
191 PIRIMICARB	ppm	※	—	0.01
192 PYRIMINOBAC-METHYL	ppm	N.D.	—	0.01
193 PIRIMIPHOS-ETHYL	ppm	※	—	0.01
194 PIRIMIPHOS-METHYL	ppm	N.D.	—	0.01
195 PYRIMETHANIL	ppm	N.D.	—	0.01
196 PYROQUILON	ppm	※	—	0.01
197 VINCLOZOLIN	ppm	※	—	0.01
198 FAMPHUR	ppm	N.D.	—	0.01
199 FIPRONIL	ppm	N.D.	—	0.002
200 FENAZOX	ppm	※	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 6

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
201 FENAMIPHOS	ppm	N.D.	—	0.01
202 FENARIMOL	ppm	N.D.	—	0.01
203 FENTROTHION	ppm	※	—	0.01
204 FENOXANIL	ppm	N.D.	—	0.01
205 FENOXYCARB	ppm	N.D.	—	0.01
206 FENOTHIOCARB	ppm	N.D.	—	0.01
207 FENOBUCARB	ppm	※	—	0.01
208 FENAMIDONE	ppm	N.D.	—	0.01
209 FENCLOREM	ppm	※	—	0.01
210 FENCHLORPHOS	ppm	※	—	0.01
211 FENSULFOTHION	ppm	N.D.	—	0.01
212 FENTHION	ppm	N.D.	—	0.01
213 PHENTHOATE	ppm	※	—	0.01
214 FENVALERATE	ppm	N.D.	—	0.01
216 FENBUCONAZOLE	ppm	N.D.	—	0.01
216 FENPROPATHRIN	ppm	N.D.	—	0.01
217 FTHALIDE	ppm	N.D.	—	0.01
218 BUTACHLOR	ppm	N.D.	—	0.01
219 BUTAFENACIL	ppm	N.D.	—	0.01
220 BUTAMIFOS	ppm	N.D.	—	0.01
221 BUTYLATE	ppm	N.D.	—	0.01
222 BUTRALIN	ppm	N.D.	—	0.01
223 BUPIRIMATE	ppm	N.D.	—	0.01
224 BUPROFEZIN	ppm	N.D.	—	0.01
225 FURATHIOCARB	ppm	N.D.	—	0.01
226 FLAMPROP-METHYL	ppm	N.D.	—	0.01
227 FLUACRYPYRIM	ppm	N.D.	—	0.01
228 FLUOMETURON	ppm	N.D.	—	0.01
229 FLUQUINCONAZOLE	ppm	N.D.	—	0.01
230 FLUDIOXONIL	ppm	N.D.	—	0.01
231 FLUCYTHRINATE	ppm	N.D.	—	0.01
232 FLUSILAZOLE	ppm	N.D.	—	0.01
233 FLUTOLANIL	ppm	N.D.	—	0.01
234 FLUTRIAFOL	ppm	N.D.	—	0.01
235 FLUVALINATE	ppm	N.D.	—	0.01
236 FLUMIOXAZIN	ppm	N.D.	—	0.01
237 FLUMICLORAC PENTYL	ppm	N.D.	—	0.01
238 PRETLACHLOR	ppm	N.D.	—	0.01
239 PROCHLORAZ	ppm	N.D.	—	0.01
240 PROCYMIDONE	ppm	※	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual unanalysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

No 2018 - B01641 - 01 Appended table 7

Testing Items	Unit	Analysis Result	Residue Standard	Minimum Limit of Determination
241 PROSULFOCARB	ppm	N.D.	—	0.01
242 PROTHIOFOS	ppm	N.D.	—	0.01
243 PROPANIL	ppm	※	—	0.01
244 PROPAPHOS	ppm	N.D.	—	0.01
245 PROPARGITE, BPPS	ppm	N.D.	—	0.01
246 PROFICONAZOLE	ppm	N.D.	—	0.01
247 PROPYZAMIDE	ppm	N.D.	—	0.01
248 PROHYDROJASMON	ppm	※	—	0.01
249 PROFHAM	ppm	N.D.	—	0.01
250 PROFENOFOFOS	ppm	N.D.	—	0.01
251 PROFOXUR	ppm	N.D.	—	0.01
252 BROMOFENVINPHOS METHYL	ppm	※	—	0.01
253 PROMETRYN	ppm	N.D.	—	0.01
254 BROMOCYCLEN	ppm	※	—	0.01
255 BROMOBUTIDE	ppm	※	—	0.01
256 BROMOPROPYLATE	ppm	N.D.	—	0.01
257 BROMOPHOS-ETHYL	ppm	N.D.	—	0.01
258 HEXACONAZOLE	ppm	N.D.	—	0.01
259 BENOXACOR	ppm	N.D.	—	0.01
260 HEPTACHLOR	ppm	※	—	0.01
261 PEFRAZOATE	ppm	N.D.	—	0.01
262 PERMETHRIN	ppm	N.D.	—	0.01
263 PENCONAZOLE	ppm	N.D.	—	0.01
264 PENCYCURON	ppm	N.D.	—	0.01
265 BENDIOCARB	ppm	N.D.	—	0.01
266 PENDIMETHALIN	ppm	N.D.	—	0.01
267 BENFLURALIN	ppm	N.D.	—	0.01
268 BENFURSESATE	ppm	※	—	0.01
269 PHOSALONE	ppm	N.D.	—	0.01
270 BOSCALID	ppm	N.D.	—	0.01
271 FOSTHIAZATE	ppm	N.D.	—	0.01
272 PHOSPHAMIDON	ppm	N.D.	—	0.01
273 PHOSMET	ppm	N.D.	—	0.01
274 FONOFOS	ppm	N.D.	—	0.01
275 PHORATE	ppm	N.D.	—	0.01
276 MALAOXON	ppm	N.D.	—	0.01
277 MALATHION	ppm	N.D.	—	0.01
278 MYCLOBUTANIL	ppm	N.D.	—	0.01
279 MECARBAM	ppm	N.D.	—	0.01
280 METHACRIFOS	ppm	N.D.	—	0.01

N.D. : Not Detected

† : Results verified its peaks from GC-MS analysis (However it may test as N.D. by individual analysis)

※ : Unable of analysis (Due to insufficient withdrawal or impact from foreign element)

